July 30th, 2019 I with M like to response a former frontier than to add that FDA	Submitter Name	Submitter Address	Submitter City	Date of Violatio		Continued Communication	final Phonoghion
proposal process. As a former Lower Employee, I reported that to what the first of the process. As a former Lower Employee, I reported that to my manager II 1772 II The process I apply the process. As a former Lower Employee, I reported that to my manager II 1772 II The process I apply the process.				10/19/2016	Region 4 - L	Date Sent July 31, 2019	HQ lead Number: FY19-191765-3712
that is responsible to make sure the Contractors are literated and folious loves Guidelines. The General Contractors with In INVICE of Johnson Construction. Company Address: 6310 Fairfield Or. Persuscola, FL 33506 (850) 457 477 (MAYON) was a Construction.	٠					Te: NONE	Potential Violator's State: Florida Reference Lead Number: Potential Violator's Name:
Contractor that surface with them in September 2016. His Vendor number with Lowes In IV. At the time he had a certificate IV. At the hidden he had a certificate IV. At the hidden he had a certific						From Region	Region Statue: Unassigned Action: Under
also did not give the customens the required fenovete Right brochure. When I questioned him about not giving them out, he saled me to find out from Lowes how to get them. I contacted my manager II year and he directed me to II year. When I looks to the latest her had been to be find out from the latest how to get them.						Message: HQ Lead Number: FYT9-191765-3712-CV	Perview Disposition: N/A
online with the EFA website and print them off. questioned [M] If he was properly licensed because he acted as if he did not know what he was doing and should make he was the control of the did not know what he was doing and should make he was the control of the did not know what he was doing and should make he was the control of the did not know what he was doing and should make the control of the did not know what he was doing and should make the control of the did not know what he was doing and should make the control of the did not know what he was doing and should make the control of the did not know what he was doing and should make the control of the did not know what he was doing and should be control of the did not know what he was doing and should be control of the did not know what he was doing and should be control of the did not know what he was doing and should be control of the did not know what he was doing and should be control of the did not know the control of the did not know the did not know the control of the did not know the control of the did not know th				70.00	24	Potential Violator's State: Florida Reference Lead Number:	
responds in another email that he card/C's obtain the certificate for 90 days. [ANY offers to back out of the Lowes is staller program and on 11/01/16,						Potential Violator's Name (1972)	
2012 1 Covers this him if he can show he applied for the firm certificate, it will not be an issue. This is a violation of the Settlement Agreement Lower entered in during 2014 10 V/20 is in charge of making sure the Contractors are fully vetted and in compliance with the Frome publishment as in other						Last number:	2000
However, [77] was going around the system by allowing 137727 to work and delaying entering information into the system as well as delaying payment						Official State	
than 35 Contractors and her territories covered a trass area in Contractors 2016 in many finding than 1 lines about because 127/23 was in charge of more than 35 Contractors and her territories covered a trass area in Contractors 2016 in many findings.						Action: Unspecified Government Action	
Contraction in which TAXAN contract the were all properly licensed, it brought numerous concerns to lower management about the properly licensed. It brought numerous concerns to lower management about the practice and was terminated immediately after licensed and the following management about the practice and was terminated immediately after licensed and the following the practice and was terminated immediately after licensed and the following the practice and the property of the property of the practice and the property of the property of the practice and the property of the property	34					Disposition: Lead Closed	
work around the [PA Settlement agreement, Lowes Customers that I witnessed NAVAN testing for lead are as follows (NAVAN DAVAN DAVA						Communication of the Communica	
Interest on 10/05/14/INVEX Personnel Princery Fested on 10/05/15/INVEX Personnel Princery Fested on 10/05/15/INVEX Personnel Princery Fested on 10/07/15 On 11/12/15, Johnson Construction was given						Date Sent July 31, 2019 Time Sent 9.55-00 AM	
a firm certificate of NAT-4171015-1. This certificate came AFTR he had performed numerous jobs for Lowes. The 3 year record keeping requirement is almost up to if you chose to investigate you.						Te: covington.bryce@epa.gov	
INTENDESCOND Drivacy						From: barring reginald@epa gov	
						Region - Horida Message: Bryor - FVI Thank you	
D \$731/19 homen-seed and the seed of the s		li .				Date Sent July 11, 2019	
1909 Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der der der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der der der der, Suite (01 Sarsous, 10 de protecte in hy) 201 (1907) Permayhera der	NEWEL .				Region 4 - Lead Based Paint	Date Sent July 29, 2019	HQ lead Number: PY19-191480-3712-CV
with the State of Florida. My certification solely was qualifying Armonium Of Sarasota, ILC for it's business operations. On S/21/19, Intoited on the contract (copy is attached) that the house was built before 1971. IEFOIE any work was commenced on the ITY. IEEE/CO.						To: NONE	Potential Violator's State: Florida Reference Lead Number: Potential Violator's Name:
The contract of the contract o						From Region	Armonius Of Sarasota, LLC Case Number Official: Region Statue: TSCA Action
under IVAL ofter it critical business, Amonous Of Tanga, LIC (which never having been lead certified (qualified since it's opening in January 2019). The constitution work changing out mility closes + IVAL DOLCOOMS. was completed between July 12 and 15 of 2019. WITHOUT testing for lead-based shift is show without having confidence and the confidence of		1050		- m.		Netsage: HQ Lead Number: FY15-191480-3712-CV Potential Violator's State: Rooks	Unspecified Government Action Disposition Lead Closed
another location, invest eitherward nor was made aware of ANY of the required testing being taken for (3P) for above evering any test result documents. Amonorus Of Saranda, LLC performed a similar unpossity of construction project between July 8th and 33rd, 2019 at homeoneur's TAY/AN TAY/AN TAY/AND INVESTIGATION to the addition to the construction project between July 8th and 33rd, 2019 at homeoneur's TAY/AN TAY/AND INVESTIGATION to the addition to the construction project between July 8th and 33rd, 2019 at homeoneur's TAY/AND INVESTIGATION to the addition to the construction project between July 8th and 33rd, 2019 at homeoneur's TAY/AND INVESTIGATION to the addition of the construction project between July 8th and 33rd, 2019 at homeoneur's TAY/AND INVESTIGATION to the addition of the construction project between July 8th and 33rd, 2019 at homeoneur's TAY/AND INVESTIGATION to the addition of the construction project between July 8th and 33rd, 2019 at homeoneur's TAY/AND INVESTIGATION to the addition of the construction project between July 8th and 33rd, 2019 at homeoneur's TAY/AND INVESTIGATION to the addition of the construction project between July 8th and 33rd, 2019 at homeoneur's TAY/AND INVESTIGATION to the addition of th						Reference Lead Number: Potential Volamin's Name: Armonue Of Sarasota, LLC Case Number:	
residences. Amonyo O'Tumpa, LLC is located at 6018 etgoch bidustrial Blvd, Tumpa, FL. Also, in addition to my completed on Armonyo O'Tumpa, LLC is located at 6018 etgoch bidustrial Blvd, Tumpa, FL. Also, in addition to my completed on Armonyo O'Tumpa, LLC is to my						Official: Repon	
ast raind arometige that Armonius Window & Door Of Palm Seach County, 11C has not performed any tests for presence of 189 in over 2 years, if ever. Armonius Window & Door Of Palm Seach County is located at 1000 Clint Moore Rd., Socia Paton, FL 11447 and seminary a				5.69		cified Governo	
INVENTIGATION STREAM. [Indice I became [18] certified, the records or bego or text results to [8] bring cent any of the J bring on the J Armonius offers libert above, and they be eith location in Olando, have the practice of being awar of the Autorist of [18], but not following from with the former monetor.							
the second second as present a movern, numerowhere, and the public from blady box contaminants in their work pies						Data Sent July 29, 2019	77
						To: covergion bryce@epa.gov	
House built in 1901. Better Home Improvement has let their EFA cert lapse with no intention to zeroew, HOME TESTED POSITIVE FOR LEADs Owner proceeded				610000110	Barrios A. Land Barred Print	iner barrouteroalifera erv	
even a ron certaind resolution treat removed existing Wood uiding and sheathing then going over with Hardie sating. Home owner questioned and owner 85 them. A close look at this business will show there is more then 1.				and the free	Total father heat . a seeller	Time Sent 4.52.00 AM	Potential Violator's State: Florida Reference
						To: NONE	Lead Number: Potential Violator's Name
legh's Construction Renovations, LLC 2728. Renovations were done to the naterior of our testal, including windows and bank. The property was left increased in count show and data as						From: Region	Number: Official: Region Statue: TSCA
for Lead with a 3M field test list. Work was not performed by a contractor certified in Lead Abatement. We are currently living on the premises and are unsure of the health and esposure risks in the current conditions. Married if the processor is a construction of the premises and are unsure of					Region 4 - Lead Based Paint	Date Sent: May 7, 2019 Time Sent: 12:18:00 PM	HQ lead Number: FY19-187059-3712-CV
SURMA 2nd floor of a 1930 because the heart state of the second st						To: NOW!	Lead Number: Potential Violeton's Name: Leight's Construction Renovations 1117 Case
wall, removing entire plastered interior walls. All work is being preformed with no containment. Airborne dust and debris, thanage system is located within 50				The second second	Region 4 - Lead Based Paint	Date Sent April 9, 2019	HQ Lead Number: PY\$9-185457-1712-CV
ers or property which orans to the halitat river. No permits or signage of lead hazirds. The nearest crossroads are ATA and international Specials (Bird.						To: NONE	Potential Violator's State: Florida Reference lead Number: Potential Violator's Name.
						From Region	UNKNOWN Case Number: Official: Region Startue: TSCA Action: Unspecified
Windows were replaced in a very old home that is sure to have lead based paint. Did not see any remediation. No care taken with disposal, job site etc. Lither didn't test or even worse faisfied a take test.				03/28/2019	Region 4 - Lead Based Paint	Date Sent March 29, 2019	HQ Lead Number: FY19-185001-3712
Above company initials windows & door for Lower. These addresses possible affected by land advanced						Time Sent B 35:00 AM To: NONE	Potential Violator's State: Florida Reference Lead Number: Potential Violator's Name:
properties prior to instalation. Unanciem if properties contain lead, but all were built prior to 1975. Also, unanciem if contractor is lead certified. Properties, include: 1904 SE 17th ST Case Foral E1 17th ST Case Fora					Region 4 - Lead Based Paint	Date Sent Murch 1, 2019 Time Sent 11:35:00 AM	HQ Lead Number: FY19-183527-3712
3) Thirth Charles and the second control of the second sec						Te: NONE	Lead Number: Potential Violator's Name
My landlord in neglecting mold causes. It is affecting our health and I have not been able to the in my apartment in weeks. And a potential lead takin issue. Carnost						From Region	Wills Windows & Doory/ Lowes Case Number: Official: Region Statue: Unassigned
upload pictures but will aread upon request.	19/19/			02/19/2019	Region 4 - Lead Based Paint	Date Sent: February 25, 2019 Time Sent: 10:17:00 AM	HQ Lead Number: FY19-183146-3712-CV Potential Violator's State: Florida Reference
						To: NONE	Lead Number: Potential Violator's Name
	Polyton (2011 in cent to travel 1 bream Colorator Bets a solder ID Indicated and Indication property and a force in property of the property of the colorator bets a solder in property of the colorator bets a solder in property of the colorator bets and a sold to the property of the colorator bets and the property of the colorator bets and t	The light prince of the control Control of the prince of t	Separations at large and analysis of the control of	Siden Rev Address	Submitter Audrens Submitter City	Schmitter Address Campers Date of Victories Proper 4: Lead based Print Proper 4: Lea	Schmitter Austern Schmitter (CP) Data of Vicinities Approx 4. Level Based Parts Person 1. Level Based Parts OLT/POILS Approx 4. Level Based Parts OLT/POICS Ap

Statue: Unassigned Action: Under Review	m: Region							
Lead Number: Potential Violence's Fuerre: nartin sutton Case Number: Official: Region								Г
HQ Lead Number: FY18-YTAYEN Potential Violator's State: Florida Reference	Date Sent: May 2, 2011 HQ Time Sent: 12:50:00 PM Pol	Region 4 - Lead Based Paint	05/01/2018			containment of lead, pain scraping are all over the lawn, al/s are running, nearest intersection is grandview and braddock, martin p, sutton painting, 386, 355, 6089 is the painting company, volusia reality is the management company.	THE PROPERTY OF THE PARTY OF TH	П
Action R.E. Management Case Number: Official: State Statue: TSCA Action:						femial property at 508 traddock evenue Deytona beach, FI 32118 is being power washed scraped and painted, the building was built in the 1940's and there is		
HQ Lead Number: PY35-169708-3712-CV Potential Violator's State: Ronda Reference Lead Number: Potential Violator's Name:	Time Sent: May 4, 2018 HO Sent: 12-20-00 PM To: NONE Le	region 4 - Lead Based Paint	01/2/2014		2000		33813	34
	d both about mold, public health and		200		0		anagement	1 5
	From: barrino ingraid@eps gpn Subject M. Returnet to Region - Findsa (1778/7) Message: The U. S. Environmental Protection Agency (1794) has received your complaint core many suspected mold and lead in a rental home that you occupy in acknownille, Florida.			11.00 T				
	To: centura gigmal.com					report a very raining are sept on sept one same oring himself. It does not seem houses or honorable, it really feels like they are covering something up		_
	Date Sent: October 16, 2018					our SU. We have a person who is suppose to be our military housing representative TNYTEN but he only comes with the private housing manager and		_
					1 4	been over 2 years sine we moved in. The 2 trees I am talking about were inspected then by our request and we were told they would be removed but they reverse and it has been over 2 years, if that talen branch bit commons it would have been fars. The discusses of the moved but they reverse and it has been over 2 years, if that talen branch bit commons it would have been fars. The discusses of the movement of the property of the		-
	Action: Unspecified Government Action Disposition: Leed Closed		-		•	It will git in the area we enter and exit our home and where all our kids play. There is another large section of the tree that is dead and hanging over this same area. I have called and enabled multiple times over the past couple months and they do not do anything to make the area called or assessment the dead and hanging over this same		
					04.	It to the contractor she hired out of pocket. We have a huge tree in our yard and part of it is dead. A very very large branch fell damaging our house and yard toys		
	Official State					My neighbor paid \$4.00 for someone to come and do mold testing and it showed dangerous levels in the home that were not present outside. When she found visual mold and told faithful feather is someone to come and do mold testing and it showed dangerous levels in the home that were not present outside. When she found		
	Potential Violator's Name. Ballour Beatty Case Number:					support that they have sent our mold lead and water testers and have found no substantial evidence but that the neighbors advocating are troubled and impossible to please. It seems that they intentionally do insportorists testing so they can use testing as a document or any continuous and income and found continuous as the continuous and the continuous		
	Reference Lead Number:				•	about heavy metals and flame retardants which have both come up in base water testing before. They then take these incompetent tests and report to the base		
23	Message: HQ Lead Number: FY39-177887-3712-CV Potential Violator's State: Florida					a visual inspection for mold. You can not defect lead through vision. You can not defect types of mold spores through vision alone. They guided the contractor		
Disposition: N/A	-			_	2	the dust from the cut is all over. Ballour feeting continually does things to twist their story. Recently they hired a contractor to investigate but only hired him to do		
Balfour Beatty Case Number: Official: Region	Cor 8				-	dangerout. They have only dismissed our concerns and once they painted over and area we were concerned with but told us that is was not dangerous. The		
Lead Number: Potential Violator's Name:						purchased a lead test kit and many areas of my home became red from the detection liquid and red means lead. We have a 1 w old and this escoure is extrem		
HQ Lead Number: FY19-177887-3800	Date Sent: October 16, 2018	Region 4 - Lead Based Paint			1	shows many hazards and many neighbors are having health concerns once since moving in their same build home. All of our concerns are dismissed and we are told the model is 600 or old amount of this is a last	Sectionville, FL 32232	F 4
	Action: Unspecified Government Action				-	We have submitted many requests for mold and lead testing and remediation as our 1940s home we rent from Baltiour Beathy on Naval Air Station Seriannul	Ballour Beatty	
	Official: Region Statue: TSCA							
	Case Number:					and that our grandson can be here. Thank you for your help:		
	Reference Lead Number: Potential Violator's Name: kenney properties				Ŷ	enforcement, they did not return my calls. I have called the health dept who said they couldn't help and told me to contact you. I have pictures but they must be in the arcing formal which I don't know how to chance. I note a many the formal which I don't know how to chance.		
	Potential Violator's State: Florida				4	on my occurations and make the worned about it? Move out. This is a weeks before Christman, I have a being grandson that I watch for my daughter who is a nume and now he can't come to my home anymore because of the fear of him being injured by any exposure to the lead. I have a likelither inscribe		_
Government Action Disposition: Lead Closed					errer.	all this up told me he would talk to the office manager. After this? They started painting over everything they had scrapped around our spartment and put a letter		
Region Statue: TSCA Action: Unspecified	From Region				943	They picked up the larger pieces. I reached out to them once more, I spoke to their senior maniferance person who when I made him if they had a complained? They picked up the larger pieces. I reached out to them once more, I spoke to their senior maniferance person who when I made him if they had a maniferance person who when I made him if they had a maniferance person who when I made him if they had a maniferance person who when I made him if they had a maniferance person who when I made him if they had a maniferance person who when I make him if they had a maniferance person who when I make him if they had a maniferance person who when I make him if they had a maniferance person who when I make him if they had a maniferance person who when I make him if they had a maniferance person who when I make him if they had a maniferance person who when I make him if they had a maniferance person who when I make him it is not the maniferance person when it is not the maniferance person who when I make him it is not the maniferance		
Lead Number: Potential Violator's Name:	To: NONE					showed a total disregard for this and yesterday and today they had their guy back out here, this time hand scrapping this paint off of our building, all around		
HQ Lead Number: FY19-179797: 3712-CV Potential Violator's State: Florida Reference	Date Sent December 3, 2018 Time Sent 7:20:00 PM	Region 4 - Lead Based Paint			*** NATE	Lake of this building at which point we went to the store and bought a lead text and texted the wall near our front door for lead, 2 sticks both named bright ned. We brought this to everyone is attention that we knew to contact because at he normed thigh I want under all of our door lock lead, 2 sticks both named bright ned. We	Worth, FL 33460	-
	Date Sent: January 8, 2019				1	35 Our apt. Building was built in the 1920's, our property managers thought it would be a great day to first have their maintenance person occurred with a size of the control of the control occurred with the control occurred w	Kenney Properties	_
	Message: Bryce - Pfl. Thank you.							
	Region - Florida							
	From: bernno.reginald@epa.gov		7					
	Te: covington bryce@epa.gov		110					
	Time Sent 1:41:00 PM							
	200							
	Disposition: Lead Closed							
	Statue: RCRA Action: Unspecified Government Action						2.0	
	Official: State				Marie C			
	Case Number:							
	Reference Lead Number: Potential Violator's Name: Home Performance Alliance							
Lead Closed	Potential Violator's State: Florida		- 18					
Unspecified Government Action Disposition:						9		
Home Performance Alliance Case Number: Official: State Status: RCRA Artico:	From Region							
Lead Number: Potential Violator's Name:					pring	To back date and cover up all the wrong doing to avoid fines and violations.		
HQ Lead Number: FY19-181392-3712-CV Potential Violator's State: Florida Reference	Time Sent 1-43 00 PM	Region 4 - Lead Based Paint	3.11		•	received a letter from the EPA. List that point they had never purchased lead paint test bits or had certified people to check. This is a company that has done hundreds of residue means and done in the hundreds of the company that has done	Locations)	
	Date 6-10 100 100 100 100 100 100 100 100 100			Control of the Contro	i than	I ment the result of the resul		

INVEN SPACEAGE | Invited the property lated a king correct address above, the house was both in 19%, the original analogues of the walls of all east 6 cooms. I was never provided with a lated part disclosure by the Landord New that I am found in the house I was peeling addressed. Sent chips in a whould part to the provided with a lated part of the house I am very concerned about the health rate of long with head sheet part. The past investigate that state.

(B)(d)

Region 6 - Lead Based Faint Date Sent: November 18, 2014 Time Sent: 11 35 00 AM Time Will Emplay grav. CC

Page 6

Mil Lead Number: P11 b 1990/1-1-71 CV Potential Volation's State: Florida Reference Lead Number: Potential Violator's Name:	Time Sent 6:37:00 AM To: NONE	organia - Lega description						Perso
7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	e: Escobar Painting / CFI Resorts		02/16/2016			AVC.	Home owner is remodeling and building structures without following EPA guidelines.	TENEVE!
In Quade Muniter: PRI 6-1897-4-5172-CV Potential Violutor's State Florida Reference In and Number: Potential Violutor's Name (scolar Philosoft Off Record Munagement For Class Number: Official: State Statue: TSCA Action: Unique Government Action Disposition: Lead Otseed	V -2	TO DESCRIPTION OF THE PROPERTY	OLD THE COOR				production of conclusion with the LPA field shifty program. We also observed the repair of lateries uniform that were traced problem for later based paint provided is well follow as coulted 15 selection without any form of production of the based doubt feet registeries of production of the second of the production of the based doubt feet in the production of the based doubt feet IPA publishes to later doubt part. It was all not production of the second doubt feet IPA publishes to later doubt part, it was all not registeries of and searched doubt feet and part of the production of the second publishes are second to the second publishes and the production of the second publishes are second to the production of the second publishes are second to the part of the production of the part	Prc. SGI Wrethour Dr. O'Lundo, Fl. 12819
Michael Munbert P15-1409-7-372 Potential Volum's State: Forida Reference Izad Munbert Potential Volumor's Hame; Herry Houses III. (1771) Case Mumbert: Official: Region Status:		The same of the sa		TAXA	52		required by the RFP has I sed part was craped and left on the ground collable of the house. When shade to clean up the chiqued lead paint, they did not sufficiently margine the wave. They also failed to provide appropriate disclosures and DFA and paint paraphets as required by the disclosure law. We obtained today the pressure washing of extention furthers that we rested positive to lead hand paint paraphets as we want unable to find any forms.	ANIGN Aschomelle, IL 32205 Aschomelle, IL 32205 Escobar Painting / Cli Resorts Management
HQ tead Number: PY16-145733-3772-CV Potential Violator's State: Florida Reference Lead Number: Potential Violator's Name:		Region 4 - Lead Based Paint		MANA	TAVAT	ANAN	In course, but it is not	Herroy Houses (LC/DY/G)
12	Date lant February 31, 2017 Time Sent 21,200 PM Till Consignation February Till Consignation February From Sammourepublidipses per Subject NOV (TSCs - PD 5107243-373 CN) Referred to Report, Forcis Annuage:							
	Officat Region Statue TXA Action: Unspecified Government Articos Disposition: Leaf Obset				-			
Led Humber Potential Vedator' Rome Big 0 Bulding Center (TAYV) Ray Clast Humber Official Region Sphar. TVA Action: Under Review Disposition, Assigned	The MONE Ce From Engage Subject that Deposition Manager 181 Lead Number: P10 (-147244-3712-CV Pownial Visition's State Twicks Pownial Visition's State Pownial Visition's Auro- Bet O Budding Center (VI) AND AND Cell Manaber: Cell Manabe				# 1717 O.S. 14 - O.S. 15 O.S. 16			
HQ Lead Number: FY16-147244-3712-CV Potential Violator's State: Harida Reference		Region 4 - Lead Based Paint					lig D blidding Cristin is not a certified 83P company, but they perform window replacement in pre-1978 homes, and do not require their installers to be certified or trained in 83P. They do not intom in the home owners that there may be fixed in the windows that are removed, they keep no incoming or documentation. They have been done that to want.	President 1325 West Beaver Street licksonville, FL32211
	Obsorbion: Last Coxed Data Seet: February 32, 2017 Than Seet: 222.00 PM To: NOTE: Cere. Region Subject: Four Disposition Metage: 10 Last Mancher: PMT 1148/15-1712 CV Petamial Violator's Mancher: Petamial Vio						On 16-11 is a more received by the control of the c	
TAYIAN Care Number: Official Negron Stant: Unsigned Action: Under Network Review Disposition: IV/A	on Disposition of Disposition (No. 14445 1772 CV Volland Number (Y17 14445 1772 CV Volland No. Star Privale (Star Privale (Star Privale (Star Number					·	Changil 180944 Most of the soft was objook work, here the sendous were replaced. Then the substituting of the past of the station with began party of 100. They ship in jurit leafer grobes with wind past of the sendous were replaced. The most past of the sendous were replaced. The most past of the sendous was the sendous past of the sendous was the sendous past of	
HQ Lead Number: FY17-148625-3712 Potential Violato's State: Florida Reference	Date Sent: February 24, 2017 Time Sent: 2:22:00 PM To: NONE	Region 4 - Lead Based Paint	09/22/2016	757	Harret	The DAVIES	The mitted building stat door long if his Towns as malatere of 10% senso catains, [JN/GN 9:55 GATAST 9:76 GATAST 9	(9)(4)

100 mark 100	Message: HQ Lead Number: PY17-148771-3732-CV Potential Violator's State: Ronda								
Region Statue: TSCA Action: Unspecified Government Action Disposition: Lead Closed	From: Region Subject Final Disposition						was not employees just on the street subs. 4. Ho lead have documents with installers, customer or company		
Lead Number: Potential Violator's Name: Eco View windows Case Number: Official	CCI.						inad base positioning, 1- No testing was done for lead base paint. 2- no certified lead base person was present during installation. 3- No training for insplicing they		
HQ Lead Number: Pr]7-146771-3712-CV Potential Violator's State: Florida Reference	Time Sent 2:23:00 PM	Turke passa pesa, a collision	on any and any				men working. There was none, I called the country permitting and was tool no permits had been applied for, thest work had ceased for a country permitting and was tool no permits had been applied for, thest work had ceased for a country permitting and was tool no permits had been applied for, thest work had ceased for a country permitting and was tool no permits had been applied for, thest work had ceased for a country permitting and was tool no permits had been applied for, thest work had ceased for a country permitting and was tool no permits had been applied for. Thest work had ceased for a country permitting and was tool no permits had been applied for. Thest work had ceased for a country permitting and was tool no permitting and was tool not		
Potential Violator's State: Florida Reference Lead Number: Potential Violator's Name:	To: NONE						On August 24, I noticed original wood sash windows being forn out from a home at 60.3 N 37th Ave Pennacola, Florida 33506 This frome was built in 1929, a wood structure. New stood windows must be instructed.	δ ₆ 3	Pensacola, FL32506
HQ Lead Number: FY17-149361-3712	Date Sent October 24, 2015	Region 4 - Lead Based Paint		NEWEL .	NEW NEW NEW	NEW I			BVG
HILLER Minder: PTI-14902; 3)12-CV Premital Violant's Nate: Routal Reference Lead Number: Potential Violant's Name. Lead Number: Routal Violant's Name. Land Number: County County State: TCA A tronc Uniquested Government Action Deposition Lead County County Number: County County Number: County Cou	The seas (Mone) of core The seas (Mone) of the form of						- 3	e cha	Personal
Potential Violator's State: Florida Reference Lead Number: Potential Violator's Name Index 570sp Case Number: Official: Resion	To: NOVE				and a	TANK!		-	(9)(4)
HQ Lead Number: FY17-150407-3712-CV	Date Sent February 14, 2017	Region 4 - Lead Based Paint	10/01/2016	77.	TAY'ST		company that order the work done was prive to report	1044 N. US Highway One Suite 101 Jupiter FL 33477	FL 33477
HQ Lead Number: PY37-351632-3732-CV Potential Volator's State: Florida References Lead Number: Protential Volator's Nume Leesting For Brist Property Management, LLC Case Number: Official: Region Statue	Othe Sent January 9, 2017 Time Sent 3.17:00 PM To: NONE Cc Front: Region	Pegion 6 - Lead Based Paint	01/01/2017		TO YOU			Leesburg Fl J474	Street Index Group
HQLead Number: P(17-152362-3712-CV Potential Volator's State: Florida Reference	Date Sent January 30, 2017 Time Sent 12:17:00 PM	Region 4 - Lead Based Paint		TATIEN	ANG	NAVA.	So to nature The property management company lives 17 to a the maintenance man. He is scripping paint off the side of this old house built in the early 1900s, the is not restricted or commission.	Leviburg For Rent Property Management,	Leenhurg For Ren
i i	Case Number:						The maintenance people were ordered by management to paint the trees that are in front of the management office with led based paint. If called our name is	roveland mobile home part (Rhenstone	Groveland mobile
Andrew Bay pitht data Care Number HQ Lead Number: PR73 SISSES 2772 VA Perimal Violent's State Thorida Reference Lead Number: Patential Violent's State Lead Number: Patential Violent's State Lead Number: Care Lead Number: Care Lead Lead Number: Lead Care Lead Lead State State: PSA A Reson Linquichted Commitment Action Disposition: Lead Care Generoment Action Disposition: Lead Care Lead State State State State State Lead Number: Lead Care Linquichted Lead State State State State State State Lead State State State State Lead	Cc Cath Seed April 7, 2017 Then Seed Edit 7, 2017 Then April 15 700 AM The April 15 700 AM Free Majors Andject final Deposition Message 100 paid Message 1773 7550(\$4.371) CV Pennish Voletien 7 Seed Februar Pennish Voletien	Region 4 - Lead Based Pales	02/05/2017		INTA	ANTEN	■ PANCE ■ 11 According to the Acquisition Report LLC did not that had part removal on the property at 1000 hassed Am. Chando, IT L2006 from to demotion Amade the property was retrieved into the part during the born places, not had and are property was retrieved into the part during the born places. It appears as though the part of the par	mettic Orlando II	Acquesion Mgmt LLC Runsell Ave 32806
HQ Lead Number: FY17-155647-3709 Potential Violator's Sarte: Royda Reference Lead Number: Potential Violator's Name: St.	Tex. Model. Date Sent: Apr 24, 2017 Time Sent: 12:45:00 PM To: NONE	Region 4 - Lead Based Paint	04/18/2017			BARE	to program, in place.	ne RD Panama	218 Bunkers Cove RD City, FL 32401
HQ Lead Number: FY17-156747-3712 Potential Violator's State: Florida Reference	Date Sent May 18, 2017 Time Sent 7-35-00 AM	Region 4 - Lead Based Paint	05/12/2017	70			Singling and painting of float halfs with based sound common and formal and another property of float halfs with based sound common and formal	YYecht	St. Andrews Bay Yacht
	DAN Serie August 29 2017 Time Serie 12 5 5 00 Put Tib: coverglow/Arcellipsy ago: CC. Frenc Service Arguest agrees por Subject EVAD: (TSCA: PCT-) 1505443 3773 CV) Regional Tip and/or Computant - Ferris Methage: Brote - Pri Thack you, Regional Tip Methage: Brote - Pri Thack you, Regional					<u> </u>	Nove to 3 of 2 and 3 and		AVG)
	Official State Statue: TSCA Action: Unspecified Government Action Disposition: Lead Closed								
Late Insular Potential Volution (Mane Urite Plain no Cask Insular: Official Status: ISCA Action (Inspecified Status: ISCA Action (Inspecified Government Action Disposition: Lead Costas	Cc: rem: Report Sudject: Not Disposition Metauge: 101 Land Muncher: 1917-130643-3912-Ct Polymaid: Volumer's Earn Earnel Meterwerk Lend Muncher: Polymaid: Volumer's Marine Cast Number:								
HQ Lead Number: FYT? 160642: 3712-CV Potential Violator's State: Florida Reference	Date Sent August 79, 2017 Time Sent 12 56:00 PM	Region 4: Lead Based Faint	7107/01/60				minoration and the partition everywhere and the data was very that from it. My registions and I have been having waird health issues ever since mostly naives, abut every halfs to obtain healthies. I am wondering if they did not irelease a huge amount of feed into the area.		FL 34221

eri Company 718	Landerd error is notice sexing relatively relocation in revenge for their financial problems, not from us stating are are as a lead plaint home for those did each of relegation should be suited as all and an advantage of the stational diseases to the stational diseases to the stational diseases to the stational diseases to the plaint plaint of the stational diseases to the TSY based diseases about a contraction former and an activity of the stational diseases and the transplant of the plaint of the stational diseases and as a LL. It is a stationary to the state of the stationary of	to the state of th	אזאנא		THE STATE	FTGC/SGNO	
102 l vert 4ch, fl 32034	Parting contracts hat been useding paint to have exood on did Rouse with no containment for lead paint or allica that has drifted onto neathy properties event alrow the Sphoto documentation has taken place. This is an engory project		-	1976	-	TAVA	TAVA
ANTEN Itaas Itaas Itaas Itaas Itaas Itaas Itaas	I set sold that the contextus debut prevaitions in any cools building are not certified to be divide grounds care than a last gainst, and that if there hasn's been an assument does by a suitable of predicting context. The shoulding last is should be suitable to what the building and are the prime to locating down and recording down with it has been able by the bit of and DEM that the have also not latter any distance there are greatly as the context of the same of the second of the same and the	re han? NAVEN		DIGI	NIGY TAYGA	TANGA ILDUZDUZ	DNR
Ander Steine and Berk W Calabed Far Bod. Called That (1 1)111 That (1 1)11 That (1 1)1 Th	Contents in not 889 led paint certified and is slowing work (Intohen and balt) on per 3378 homes wery frequently. Marshes backing of shreely completed plots to when not done billowing 174 889 standards. ***********************************	d pilo (I to the CAVIAN III of this contains of the CAVIAN III of this contains of the CAVIAN III of this contains of the CAVIAN III of the C		ANG	davies and	11.00(001)	
Yellow Kid Inc. at agement ISSI Boca	from Enteronetal Sauth and eighten stude das Jami who, showing expetit gredhelbergki file this midde of 2 and curries mother of a Châten is year old in diese from mail british on senth of heavy prites. Notes the station and feed commission entered brough and early through of duch. Uponed orders several british medicins (but work spec. Not is medicin the house incide year), (di there is foll place and of a price and carried states.	rating provide					52
13.2 Precediby spired here will know heal fatte. The house knowled play 17.1 (A)	i recently ugoed a lease with Lauer Real Estate. The house, located of \$1700 with the bound tested positive for lead paint. However, the lease I singed did not contain a lead disclosure agreement, nor did I receive the EPA pamphiet (or an alternative) which Later was required to			WAYAY	TANKAT TANKAT	JAWAN.	